


Drawer 1900 – 115 Palliser Trail Hanna, AB T0J 1P0 Phone: 877-854-3371 ext. 208

Fax: 403-854-4684 E-mail: permits@palliserservices.ca

DECKS, GUARDRAILS, HANDRAILS, STAIRS INFORMATION SHEET



BASIC CODE INFORMATION:

13. 34" minimum stair width

1.	Grade:2% slope for drainage	
2.	Deck height from grade: Specify ()	
3.	Floor decking: Specify ()	
4.	Height of guard from deck	
	36" (for 2' to 6' deck height above grade)	
	42" (for 6' over deck height above grade)	
5.	2"x10" End joist (or same size of floor joist)	
-	Others: (
6.	3-2"x10" Built up beam	
	Others: ()	
7.	6"x6" wood post anchored to the concrete pile	
	Others: ()
8.	12" Diameter x 12' deep concrete pile @ 6'-6"	
	o/c recommended.	
	Others: ()	
9.	2"x10" floor joist @16" o/c.	
	Others: ()	
10.	4" max space between railings.	
11.	Guardrail: Specify ()	,
12	Pailings: Specify (

- 14. Stair handrail 32" to 38" height measured vertically from the stair nosing. Handrail is required if stairs have more than 3 risers. Handrails on both side of the stair are required if stair width is 44" or greater.

- 20. Existing house.

Note:

The above information does not cover all relevant requirements of the Alberta Building Code. The details shown in the drawings are guidelines for your reference and information only. You may use other options provided the work complies with the code. If you have any question or need assistance please free to call.